



# EISEN TECHNICUT EW2954 ULTRA-THIN, ULTRA-HIGH CUT RESISTANT **FOAM NBR COATED** CUT RESISTANT GLOVE



An incredibly thin cut level A9 / F glove, offering the highest level of cut protection available combined with maximum dexterity. Skin-friendly with superlative durability, tactility, comfort and flexibility – the ultimate cut resistant glove.

### LINER

The combination of UHMWPE super fibers and Tungsten using 21-gauge knitting technology is the secret of the incredible TechniCut EW2954 performance, offering both phenomenal dexterity and amazing cut resistance to the highest level A9 / F.

### ULTRA-THIN KNITTING TECHNOLOGY

Mastering this unique knitting process has enabled EISEN to produce the finest seamless knitted protective gloves available. Unparalleled dexterity. Maximum tactility.

### COATING

Using a premium quality foam NBR coating, the TechniCut EW2954 offers excellent performance:

- Phenomenal abrasion resistance for exceptional longevity
- Kind to your skin with no DMF or solvents
- Highly breathable for improved climate control
- Uniquely comfortable with highly flexible yet secure grip
- Reinforced thumb crotch for increased abrasion resistance



CUT

ANSI **A9**

EN **F**

EN 388:2016  
4X42F

A9 CUT

# EISEN

## PROTEQ

MAKING WORK COMFORTABLE



AEROSPACE & DEFENSE  
HAND PROTECTION SPECIALISTS

# EISEN

## PROTEQ

MAKING WORK COMFORTABLE

AEROSPACE & DEFENSE  
HAND PROTECTION SPECIALISTS

CE Cat. II

### EISEN SAFETY INDICATOR

Glove wearers frequently struggle to understand what level of protection their glove provides, especially in relation to the full spectrum of a particular protection range e.g. A1-A9, A-F. This can result in increased injuries from poor glove selection – possibly chosen for dexterity or comfort rather than offering sufficient protection. The intuitive EISEN Safety Indicator allows the wearer to easily identify the glove's protective performance in both visual and written forms unlike other identification systems that do not indicate the spectrum of protection available.

### TECHNICAL DETAILS

Sizes: 7/S, 8/M, 9/L, 10/XL, 11/XXL  
 Knit Gauge: 21gg  
 Liner: Tungsten, UHMWPE super fibers, Nylon, Spandex  
 Coating: Foam NBR  
 Metal Free: No  
 Glass Fibre Free: No  
 Qty/Pack: 10 pairs  
 Qty/Carton: 120 pairs  
 Product Code: EW2954

For further information or technical assistance:

[technical@eisen-proteq.com](mailto:technical@eisen-proteq.com)

Hand Protection helpline

(UK) +44 3300 564 400

(USA) +1 888 233 3324

## EISEN TECHNICUT EW2954 ULTRA-THIN, ULTRA-HIGH CUT RESISTANT **FOAM NBR COATED** CUT RESISTANT GLOVE

### STANDARDS COMPLIANCE

ANSI / IESA 105-2016 American national standard for hand protection classification

EN ISO 21420:2020 Protective gloves - General requirements and test methods

### CUT PROTECTION

BS EN 388:2016+A1:2018 Protective Gloves against mechanical risks

Property	ANSI 105		EN 388	
	Level Achieved	Maximum Performance	Level achieved	Maximum Performance
Abrasion	X	6	4	4
Blade Cut	N/A	N/A	X	5
Tear	N/A	N/A	4	4
Puncture	3	5	2	4
TDM Cut	A9	A9	F	F

CUT

ANSI A9

EN F